ELSEVIER

Analytica Chimica Acta 379 (1999) 367–369

ANALYTICA
CHIMICA
ACTA

Author Index

Al-Tamrah, S.A.
Spectrophotometric determination of nicotine 75
An Li, K., see Liu, Y. 39
Andrade, F.J.
—, Iñon, F.A., Tudino, M.B. and Troccoli, O.E.
Integrated conductimetric detection: mass distribution in a dynamic sample zone inside a flow injection manifold 99
Ashraf-Khorassani, M.
— and T. Taylor, L.
Supercritical fluid extraction of mercury(II) ion via in situ chelation and pre-formed mercury complexes from different matrices 1

Bermejo, E., see Chicharro, M. 81
Blasco-Gómez, F., see Campíns-Falcó, P. 89
Borg, N.
— and Ståhle, L.
Recovery as a function of the osmolality of the perfusion medium in microdialysis experiments 319
Bosch-Reig, F., see Campíns-Falcó, P. 89

Cąkała, M.
—, Mazerska, Z., Donten, M. and Stojek, Z.
Electroanalytical and acid–base properties of imidazoacridinone, an antitumor drug (C-1311) 209
Campíns-Falcó, P.
—, Bosch-Reig, F. and Blasco-Gómez, F.
Standard addition method in FIA. Comparison between different assemblies 89
Chan, J.Y.H., see Chan, S.H.H. 275
Chan, S.H.H.
— and Chan, J.Y.H.
Application of reverse microdialysis in the evaluation of neural regulation of cardiovascular functions 275
Chee, G.-J.
—, Nomura, Y. and Karube, I.
Biosensor for the estimation of low biochemical oxygen demand 185
Chicharro, M.
—, Zapardiel, A., Bermejo, E., Pérez, J.A. and Hernández, L.
Amperometric determination of sympathomimetic drugs by flow injection analysis with a metallic copper electrode 81
Cong, X., see Guo, Z.-X. 45
Cukrowski, I.
—, Zeevaart, J.R. and Jarvis, N.V.
A potentiometric and differential pulse polarographic study of Cd^{II} with 1-hydroxyethylenediphosphonic acid 217
Curtius, A.J., see Dressler, V.L. 175

Davies, M.I.
A review of microdialysis sampling for pharmacokinetic applications 227
Davies, M.I., see Heppert, K.E. 359
de Juan, A., see Roig, M. 121
Donten, M., see Cąkała, M. 209
Dressler, V.L.
—, Pozebon, D. and Curtius, A.J.
Introduction of alcohols in inductively coupled plasma mass spectrometry by a flow injection system 175

Eškinja, I., see Grahek, Ž. 107
Elbergali, A.
—, Nygren, J. and Kubista, M.
An automated procedure to predict the number of components in spectroscopic data 143

Fang Liu, Z., see Pu Liu, S. 53

Głąb, S., see Koncki, R. 69
García, J.F., see Roig, M. 121
Gorton, L., see Torto, N. 281
Grahek, Ž.
—, Eškinja, I., Košutic, K., Lulic, S. and Kvastek, K.
Isolation of radioactive strontium from natural samples: separation of strontium from alkaline and alkaline earth elements by means of mixed solvent anion exchange 107
Guo, Z.-X.
—, Li, L. and Shen, H.-X.
Study and analytical application of bromopyrogallol red as a hydrogen donor substrate for peroxidase 63
Guo, Z.-X.
—, Li, L., Shen, H.-X. and Cong, X.
Bromopyrogallol red enhanced resonance light-scattering spectroscopic determination of DNA with 5,10,15,20-tetrakis[4-(trimethylammoniumyl) phenyl]porphine 45
Gupta, V.K.
—, Jain, A.K., Singh, L.P., Khurana, U. and Kumar, P.
Molybdate sensor based on 5,10,15,20-tetraphenylporphyrinatocobalt complex in a PVC matrix 201

Haraguchi, H., see Umemura, T. 23

Heckert, D.M., see Zhou, J. 307
Heppert, K.E.
— and Davies, M.I.
Using a microdialysis shunt probe to monitor phenolphthalein glucuronide in rats with intact and diverted bile flow 359
Hernández, L., see Chicharro, M. 81

Iñon, F.A., see Andrade, F.J. 99
Itoh, S.-i.
—, Kaneco, S., Ohta, K. and Mizuno, T.
Determination of bismuth in environmental samples with Mg–W cell–electrothermal atomic absorption spectrometry 169

Jain, A.K., see Gupta, V.K. 201
Jarvis, N.V., see Cukrowski, I. 217
Jouan, M., see Nguyen Quang, H. 159

Kamiya, S., see Umemura, T. 23
Kaneco, S., see Itoh, S.-i. 169
Kaptein, W.A., see Tiessen, R.G. 327
Karube, I., see Chee, G.-J. 185
Katrlík, J.
—, Pizzariello, A., Mastihuba, V., Švorc, J., Stred'anský, M. and Miertuš, S.
Biosensors for L-malate and L-lactate based on solid binding matrix 193
Kholin, Y.V., see Zaitsev, V.N. 11
Khristenko, I.V., see Zaitsev, V.N. 11
Khurana, U., see Gupta, V.K. 201
Košutic, K., see Grahek, Ž. 107
Koncki, R.
—, Lenarczuk, T. and Głąb, S.
Disposable integrated cuvette test for quantitative determination of vitamin C in pharmaceutical products 69
Korf, J., see Tiessen, R.G. 327
Kubista, M., see Elbergali, A. 143
Kumar, P., see Gupta, V.K. 201
Kvastek, K., see Grahek, Ž. 107

Laurell, T., see Torto, N. 281
Lenarczuk, T., see Koncki, R. 69
Li, M., see Pu Liu, S. 53
Li, L., see Guo, Z.-X. 45, 63
Liu, Q., see Pu Liu, S. 53
Liu, Y.
—, Qi Ma, C., An Li, K. and Yang Tong, S.
Simple and sensitive assay for nucleic acids by use of Rayleigh light scattering technique with rhodamine B 39
Llauradó, M., see Torres, J.M. 135
Lulic, S., see Grahek, Ž. 107
Lunte, C.E., see Song, Y. 251
Lunte, C.E., see Zhou, J. 307
Lunte, S.M., see Zhou, J. 307

Marko-Varga, G., see Torto, N. 281
Mastihuba, V., see Katrlík, J. 193
Mazerska, Z., see Cąkała, M. 209

Miertuš, S., see Katrlík, J. 193
Miwa, T., see Munaf, E. 33
Mizuno, T., see Itoh, S.-i. 169
Munaf, E.
—, Zein, R., Takeuchi, T. and Miwa, T.
Indirect photometric detection of inorganic monovalent and divalent cations by microcolumn ion chromatography using 1,1′-dimethyl-4,4′-bipyridinium dichloride as visualization agent 33

Nguyen Quang, H.
—, Jouan, M. and Quy Dao, N.
A simplified calibration model of spectral data for quantitative analyses with different Raman spectrometers 159
Nomura, Y., see Chee, G.-J. 185
Nygren, J., see Elbergali, A. 143

Ohta, K., see Itoh, S.-i. 169

Pérez, J.A., see Chicharro, M. 81
Pizzariello, A., see Katrlík, J. 193
Pozebon, D., see Dressler, V.L. 175
Pu Liu, S.
—, Liu, Q., Fang Liu, Z., Li, M. and Zhi Huang, C.
Resonance Rayleigh scattering of chromium(VI)-iodide-basic triphenylmethane dye systems and their analytical application 53

Qi Ma, C., see Liu, Y. 39
Quy Dao, N., see Nguyen Quang, H. 159

Rauret, G., see Roig, M. 121
Rauret, G., see Torres, J.M. 135
Roig, M.
—, de Juan, A., García, J.F., Toribio, M., Vidal, M. and Rauret, G.
Determination of a mixture of gamma-emitting radionuclides using solid scintillation detectors and multivariate calibration 121

Švorc, J., see Katrlík, J. 193
Shen, H.-X., see Guo, Z.-X. 45, 63
Singh, L.P., see Gupta, V.K. 201
Song, Y.
— and Lunte, C.E.
Comparison of calibration by delivery versus no net flux for quantitative in vivo microdialysis sampling 251
Ståhle, L., see Borg, N. 319
Stenken, J.A.
Methods and issues in microdialysis calibration 337
Stojek, Z., see Cąkała, M. 209
Stred'anský, M., see Katrlík, J. 193

Taylor, L.T., see Ashraf-Khorassani, M. 1
Takeuchi, T., see Munaf, E. 33
Tiessen, R.G.
—, Kaptein, W.A., Venema, K. and Korf, J.

Slow ultrafiltration for continuous in vivo sampling: application for glucose and lactate in man 327
Timmerman, W., see Westerink, B.H.C. 263
Toribio, M., see Roig, M. 121
Torres, J.M.
—, Llauradó, M. and Rauret, G.
Microwave-assisted pre-treatment of environmental samples for the determination of ^{90}Sr 135
Torto, N.
—, Laurell, T., Gorton, L. and Marko-Varga, G.
Recent trends in the application of microdialysis in bioprocesses 281
Troccoli, O.E., see Andrade, F.J. 99
Tudino, M.B., see Andrade, F.J. 99

Umemura, T.
—, Kamiya, S. and Haraguchi, H.
Characteristic conversion of ion pairs among anions and cations for determination of anions in electrostatic ion chromatography using water as a mobile phase 23

Venema, K., see Tiessen, R.G. 327
Vidal, M., see Roig, M. 121

Westerink, B.H.C.
— and Timmerman, W.
Do neurotransmitters sampled by brain microdialysis reflect functional release? 263

Yang Tong, S., see Liu, Y. 39
Yu Gorlova, E., see Zaitsev, V.N. 11

Zaitsev, V.N.
—, Kholin, Y.V., Yu Gorlova, E. and Khristenko, I.V.
Silica chemically modified with *N*-benzoyl-*N*-phenylhydroxylamine in chemisorption of hydrogen and metal ions 11
Zapardiel, A., see Chicharro, M. 81
Zeevaart, J.R., see Cukrowski, I. 217
Zein, R., see Munaf, E. 33
Zhi Huang, C., see Pu Liu, S. 53
Zhou, J.
—, Heckert, D.M., Zuo, H., Lunte, C.E. and Lunte, S.M.
On-line coupling of in vivo microdialysis with capillary electrophoresis/electrochemistry 307
Zuo, H., see Zhou, J. 307